



Operation IceBridge





The NASA IceBridge Crew



Michael Studinger, Project Scientist

Lora Koenig, Deputy Project Scientist

Seelye Martin, Ad Hoc Science Team Lead

John Sonntag, Management Team Member


Nathan Kurtz, Sea Ice Post Doc

Dave Easmunt, Project Manager

Kent Shiffer, Mission Manager



IceBridge





Outline



Science Objectives

Operation IceBridge will bridge the data gap between ICESat-1 and ICESat-2 using NASA aircraft.

Campaigns completed:

Arctic 2009

Antarctic 2009

Arctic 2010

Instruments on board:

ATM-Laser altimeter/ GSFC



LVIS-Laser altimeter/GSFC

CRaSI Radar Suite/ U. Kansas

- Ku band altimeter
- Snow radar
- Accumulation radar
- MCoRDS depth sounding radar

Gravimeter/ LDEO

DMS-High res camera/ARC



Website: www.nasa.gov/icebridge



Science Objectives



- 1) Make airborne laser altimetry measurements over the ice sheets and sea ice to fill in the data gap between ICESat and the launch of ICESat-2 planned for 2015.
- 2) Link measurements made by ICESat, ICESat-2, and CryoSat-2 to allow their comparison and the production of a long-term, ice sheet altimetry record.
- 3) Use airborne altimetry and radar to monitor key, rapidly changing areas of ice, including sea ice, ice sheets and glaciers, in the Arctic and Antarctic to maintain a long term observation record.
- 4) In conjunction with altimetry measurements, collect other remotely sensed data to improve predictive models of sea level rise and sea ice cover



P-3 Instruments


Instruments on Board:

- ATM
- CReSIS radar suite
 - Ku altimeter
 - Snow radar
 - Accumulation radar
 - MCORDS-Outlet Glacier
- Gravimeter
- DMS







Greenland Flight Lines



2009



2010




DC-8 Instruments


Instruments on Board:

- ATM
- LVIS
- CReSIS radar suite
 - Ku altimeter
 - Snow radar
 - MCORDS
- Gravimeter
- DMS





Antarctica Flight Lines



2010





Alaska Flight Lines



Instruments:


- UAF laser Altimeter



**Spring 2009
IceBridge**



IceCap/IceBridge Flights 2009-10





Operation IceBridge



Multimedia and online resources

Mission Page

www.nasa.gov/icebridge

Earth Science Project Office

www.espo.nasa.gov/oib

Videos and Animations

<http://svs.gsfc.nasa.gov/Gallery/OperationIceBridgeSpring2010.html>

Twitter

www.twitter.com/icebridge

Mission Blog Videos and Animations

<http://blogs.nasa.gov/cm/blog/icebridge>



Meeting Goals

- Present IceBridge data from Antarctica 2010
 - Status of data processing
 - Update on data transfer to NSIDC/Community release
- Present the Antarctica 2010 campaign schedule and logistics
- Establish Antarctica 2010 flight line plan based on science objectives and community input



Operation IceBridge

Antarctica 2010 Campaign


Flight Logistics and Schedule





Tentative Schedule

- Oct 11, 2010 Deploy DC-8 to Punta Arenas from Palmdale, CA
- Nov 22, 2010 Return to Palmdale, CA
- 170 Total Flight Hours
 - **140 science flight hours or 14 flights**



DC-8 Instruments

Instruments on Board:

- ATM
- LVIS
- CReSIS radar suite
 - Ku altimeter
 - Snow radar
 - MCORDS
- Gravimeter
- DMS






Flight Types




- High Temporal Monitoring
 - Areas that should be monitored every year
- High Resolution Grids
 - Areas important for modeling
- High Altitude
 - LVIS flights
- Exploratory
- Bed Mapping
- Calibration
 - Ground validation



Sea Ice Transit Flight Lines





Break-Out Session Goals

- Sea Ice
 - Plan 4-6 flights (40-60 flight hours)
 - Prioritize by science objectives
 - Low, Medium, High priority
 - Prioritize instruments
 - Designate LVIS flight and transit targets
- Ice Sheet
 - Plan 10-12 flights (100-120 flight hours)
 - Prioritize by science objectives
 - Low, Medium, High priority
 - Prioritize instruments
 - Designate LVIS flights